

AD-A051 357

NAVY ELECTRONICS LAB SAN DIEGO CALIF

F/G 17/1

TERMINATION OF THE TR-208 (MASSA) ACTIVE TRANSDUCER WHEN THE PA--ETC(U)

JUN 66 H J KLEE

UNCLASSIFIED

NEL-TM-1062

NL

| OF |
AD
A051357



END
DATE
FILMED

4 -78

DDC

AD A051357

30605 file
MOST Project -4 (1) SC

U. S. NAVY ELECTRONICS LABORATORY, SAN DIEGO, CALIFORNIA

This is a working paper giving tentative information about some work in progress at NEL.

If cited in the literature the information is to be identified as tentative and unpublished.

4158
Good D.S.
DDC FILE COPY
NEL/Technical Memorandum 1062
9 TECHNICAL MEMORANDUM

TM-1062V

14 NEL-TM-1062

6
TERMINATION OF THE TR-208 (MASSA) ACTIVE TRANSDUCER WHEN THE PAIR (AN/SQQ-23) SYSTEM IS IN THE RECEIVE MODE.

11 21 June 1966

12 6P.

10 H. J. Klee (NEL Code 2140)

16 S2720

S27-20(8573)
NEL J71471

NEL/Technical Memorandum 1062

1062
12
670820-0210
253 550 JUB

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

DDC
RECEIVED
MAR 16 1978
RECEIVED
A

Termination of the TR-208 (Massa)
Active Transducer when the PAIR
(AN/SQQ-23) System is in the
Receive Mode

by

H. J. Klee

Code 2140

U. S. Navy Electronics Laboratory
San Diego, California 92152

21 June 1966

ADDITIONAL INFO	
NTIS	WMA Section <input checked="" type="checkbox"/>
REG	DET Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
<i>per ltr on file</i>	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. REQ. or SPECIAL
<i>A</i>	

This technical memorandum represents a portion of the work being done on NEL Problem J714, AN/SQS-23 Performance and Integration Retrofit (PAIR) Program. It should not be construed as a formal report as its primary intent is to present some of the problems confronting project personnel and some of the preliminary conclusions. While it was originally published in a different form, it is now being included in the technical memorandum series for sake of documentation uniformity and control. Limited outside distribution is intended.

670829-0210

TABLE OF GRAPHS

1. Graph 1 - Comparison of the Receiving Response, AGDE Hydrophone (Serial #X-224) in front TR-208/SQS-23 Transducer and the Scattering Response in front of a Terminated TR-208 Element (Based on preliminary TRANSDC data)
2. Graph 2 - Comparison of the PAIR Hydrophone Receiving Response in front of the PAIR aft Cylindrical Baffle and the Scattering Response in front of a Terminated TR-208 Element (based on preliminary TRANSDC data)


Preliminary results from dumiload measurements and scattering tests conducted using the TR-208 active transducer element, indicate that a marked improvement can be made in the receiving response of the PAIR hydrophones when they are situated in front of the active transducer. The active elements are correctly terminated.

Scattering tests on a TR-208 element conducted at TRANSDEC on 6 June 1966 when terminated in (a) open circuit condition and (b) short circuit condition indicate very close agreement with results of tests conducted at Boston Naval Shipyard on 2 - 8 February 1966 with a preliminary PAIR hydrophone mounted in front of the complete TR-208 transducer. Graph 1 compares the results of these tests with TRANSDEC single element results.




Using terminating components whose values were determined in the NEL dumiload measurements, the scattering test of the TR-208 terminated element is compared with the theoretical receiving response computed by Sperry Gyroscope Company using the results of the dummy baffle tests of TRANSDEC.



Additional tests are in progress to further delineate termination values for each of the active transducers that will be used in the PAIR program.

Terminating components will be installed on the TR-208 active transducer during the receiving tests at NELPOCS scheduled for August, September 1966.



COMPARISON OF THE PAIR HYDROPHONE RECEIVING RESPONSE IN FRONT OF THE PAIR
AET CYLINDRICAL Baffle AND THE SCATTERING RESPONSE IN FRONT OF A
TERMINATED TR-208 ELEMENT (BASED ON PRELIMINARY TRANSDUCER DATA)

	RESPONSE IN FRONT OF NET	CYLINDRICAL ANTENNA
A - PAIR HYDROPHONE RESPONSE	TR-208	ELEMENT TERMINATED 
B - SCATTERING RESPONSE	TR-208	ELEMENT TERMINATED 
C - SCATTERING RESPONSE	TR-208	ELEMENT TERMINATED 



~~DRAWING NOT TO SCALE~~

GRAPH 2

FREQUENCY (KHz)